

Townsend Bearings



Plummer Block Bearing Units

(an extract from our main Bearing Catalogue)






**Townsend
Bearings**



Contents

SNL Plummer Block Housings for Self-Aligning Bearings	
Series 1500.....	4
Series 2500.....	5
Series 1600.....	6
Series 2600.....	7
Series 22500.....	8
Series 23500.....	9
Series 21600.....	10
Series 22600.....	11




Shaft diameter	Basic Plummer block unit designation	Separate component designations			adapter sleeve & locknut)	locating ring(s)	End cover
		Housing	Basic seal	bearing			
inch/mm							
3/4 20	SNH 1505E SNH 1505	SNH 505 SNH 505	TSNA 505 TSNA 505	1205 K 1205 K	HE 205 H 205	2xFRB 5152 P 2xFRB 5152 P	ASNA 505 ASNA 505
25 1	SNH 1506 SNH 1506E	SNH 506-605 SNH 506-605	TSNP 1506 TSNA 506	1206 K 1206 K	H 206 HE 206	2xFRB 8162 P 2xFRB 8162 P	ASNA 506-605 ASNA 506-605
30	SNH 1507	SNH 507-606	TSNA 507	1207 K	H 207	2xFRB 8,5/72 P	ASNA 507-606
1 1/4 35	SNH 1508E SNH 1508	SNH 508-607 SNH 508-607	TSNA 508 TSNA 508	1208 K 1208 K	HE 208 H 208	2xFRB 10,5/80 P 2xFRB 10,5/80 P	ASNA 508-607 ASNA 508-607
1 1/2 40	SNH 1509E SNH 1509	SNH 509 SNH 509	TSNA 509 TSNA 509	1209 K 1209 K	HE 209 H 209	2xFRB 5,5/85 P 2xFRB 5,5/85 P	ASNA 509 ASNA 509
1 3/4 45	SNH 1510E SNH 1510	SNH 510-608 SNH 510-608	TSNA 510 TSNA 510	1210 K 1210 K	HE 210 H 210	2xFRB 10,5/90 P 2xFRB 10,5/90 P	ASNA 510-608 ASNA 510-608
50 2	SNH 1511 SNH 1511E	SNH 511-609 SNH 511-609	TSNA 511 TSNA 511	1211 K 1211 K	H 211 HE 211	2xFRB 11,5/100 P 2xFRB 11,5/100 P	ASNA 511-609 ASNA 511-609
55 2 1/4	SNH 1512 SNH 1513E	SNH 512-610 SNH 513-611	TSNA 512 TSNA 513	1212 K 1213 K	H 212 HE 213	2xFRB 13/110 P 2xFRB 14/120 P	ASNA 512-610 ASNA 513-611
60 2 1/2	SNH 1513 SNH 1515E	SNH 513-611 SNH 515-612	TSNA 513 TSNA 515	1213 K 1215 K	H 213 HE 215	2xFRB 14/120 P 2xFRB 15,5/130 P	ASNA 513-611 ASNA 515-612
65 2 3/4	SNH 1515 SNH 1516E	SNH 515-612 SNH 516-613	TSNA 515 TSNA 516	1215 K 1216 K	H 215 HE 216	2xFRB 15,5/130 P 2xFRB 16/140 P	ASNA 515-612 ASNA 516-613
70 75	SNH 1516 SNH 1517	SNH 516-613 SNH 517	TSNA 516 TSNA 517	1216 K 1217 K	H 216 H 217	2xFRB 16/140 P 2xFRB 16,5/150 P	ASNA 516-613 ASNA 517
3 80	SNH 517E SNH 1518	SNH 517 SNH 518-615	TSNA 517 TSNA 518	1217 K 1218 K	HE 217 H 218	2xFRB 16,5/150 P 2xFRB 17,5/160 P	ASNA 517 ASNA 518-615
3 1/4 85	SNH 1518E SNH 1519	SNH 518-615 SNH 519-616	TSNA 518 TSNA 519	1218 K 1219 K	HE 218 H 219	2xFRB 17,5/160P 2xFRB 18/170P	ASNA 518-615 ASNA 519-616
3 1/2 90	SNH 1520E SNH 1520	SNH 520-617 SNH 520-617	TSNA 520 TSNA 520	1220 K 1220 K	HE 220 H 220	2xFRB 18/180 P 2xFRB 18/180 P	ASNA 520-617 ASNA 520-617
100 4	SNH 1522 SNH 1522E	SNH 522-619 SNH 522-619	TSNA 522 TSNA 522	1222 K 1222 K	H 222 HE 222	2xFRB 21/200 P 2xFRB 21/200 P	ASNA 522-619 ASNA 522-619

For shaft diameters 1 1/4" & 1 1/2" the basic seal designation suffix for V-ring seals is AE.
 For shaft diameters 1 1/4", 1 1/2", 2 1/4" & 3 1/4" the basic seal designation suffix for felt seals is CE.
 For shaft diameters 3/4", 1 1/4", 1 1/2", 2 1/4", 3 1/4" & 3 1/2" the basic seal designation suffix for double lip seals is GE.

SNL Plummer Block Housings for
Self-Aligning Bearings
Series 2500






**Townsend
Bearings**



Shaft diameter	Basic Plummer block unit designation	Separate component designations			adapter sleeve & locknut)	locating ring(s)	End cover
		Housing	Basic seal	bearing			
inch/mm							
3/4 20	SNH 2505E SNH 2505	SNH 505 SNH 505	TSNA 505 TSNB 505	2205K 2205K	HE 305 H 305	1xFRB 7/52 P 1xFRB 7/52 P	ASNA 505 ASNA 505
25 1	SNH 2506 SNH 2506E	SNH 506-605 SNH 506-605	TSNP 506 TSNA 506	3206K 2206K	H 306 HE 306	2xFRB 6/62 P 2xFRB 6/62 P	ASNA 506-605 ASNA 506-605
30 1 1/4	SNH 2507 SNH 2507E	SNH 507-606 SNH 507-606	TSNA 507 TSNA 507	2207K 2207K	H 307 HE 307	2xFRB 5,5/72 P 2xFRB 5,5/72 P	ASNA 507-606 ASNA 507-606
35	SNH 2508	SNH 508-607	TSNA 508	2208K	H 308	2xFRB 8/80 P	ASNA 508-607
1 1/2 40	SNH 2509E SNH 2509	SNH 509 SNH 509	TSNA 509 TSNA 509	2209K 2209K	HE 309 H 309	1xFRB 7/85 P 1xFRB 7/85 P	ASNA 509 ASNA 509
1 3/4 45	SNH 2510E SNH 2510	SNH 510-608 SNH 510-608	TSNA 510 TSNA 510	2210K 2210K	HE 310 H 310	2xFRB 9/90 P 2xFRB 9/90 P	ASNA 510-608 ASNA 510-608
50 2	SNH 2511 SNH 2511E	SNH 511-609 SNH 511-609	TSNA 511 TSNA 511	2211K 2211K	H 311 HE 311	2xFRB 9,5/100 P 2xFRB 9,5/100 P	ASNA 511-609 ASNA 511-609
55 2 1/4	SNH 2512 SNH 2513E	SNH 512-610 SNH 513-611	TSNA 512 TSNA 513	2212K 2213K	H 312 HE 313	2xFRB 10/110 P 2xFRB 10/120 P	ASNA 512-610 ASNA 513-611
60 2 1/2	SNH 2513 SNH 2515E	SNH 513-611 SNH 515-612	TSNA 513 TSNA 515	2213K 2215K	H 313 HE 315	2xFRB 10/120 P 2xFRB 12,5/130 P	ASNA 513-611 ASNA 515-612
65 2 3/4	SNH 2515 SNH 2516E	SNH 515-612 SNH 516-613	TSNA 515 TSNA 516	2215K 2216K	H 315 HE 316	2xFRB 12,5/130P 2xFRB 12,5/140 P	ASNA 515-612 ASNA 516-613
70 75	SNH 2516 SNH 2517	SNH 516-613 SNH 517	TSNA 516 TSNA 517	2216K 2217K	H 316 H 317	2xFRB 12,5/140 P 2xFRB 12,5/150 P	ASNA 516-613 ASNA 517
3 80	SNH 2517E SNH 2518	SNH 517 SNH 518-615	TSNA 517 TSNA 518	2217K 2218K	HE 317 H 318	2xFRB 12,5/150 P 2xFRB 12,5/160 P	ASNA 517 ASNA 518-615
3 1/4 85	SNH 2518E SNH 2519	SNH 518-615 SNH 519-616	TSNA 518 TSNA 519	2218K 2219K	HE 318 H 319	2xFRB 12,5/160 P 2xFRB 12,5/170 P	ASNA 518-615 ASNA 519-616
3 1/2 90	SNH 2520E SNH 2520	SNH 520-617 SNH 520-617	TSNA 520 TSNA 520	2220K 2220K	HE 320 H 320	2xFRB 12/180 P 2xFRB 12/180 P	ASNA 520-617 ASNA 520-617
100 4	SNH 2522 SNH 2522E	SNH 522-619 SNH 522-619	TSNA 522 TSNA 522	2222K 2222K	H 322 HE 322	2xFRB 13,5/200 P 2xFRB 13,5/200 P	ASNA522-619 ASNA 522-619

For shaft diameters 1 1/4" & 1 1/2" the basic seal designation suffix for V-ring seals is AE.
For shaft diameters 1 1/4", 1 1/2", 2 1/4" & 3 1/4" the basic seal designation suffix for felt seals is CE.
For shaft diameters 3/4", 1 1/4", 1 1/2", 2 1/4", 3 1/4" & 3 1/2" the basic seal designation suffix for double lip seals is GE.




Shaft diameter	Basic Plummer block unit designation	Separate component designations			adapter sleeve & locknut)	locating ring(s)	End cover
		Housing	Basic seal	bearing			
inch/mm							
3/4 20	SNH 1605E SNH 1605	SNH 506-605 SNH 506-605	TSNA 605 TSNA 605	1305 K 1305 K	HE 305 H 305	2xFRB 7,5/62 P 2xFRB 7,5/62 P	ASNA 506-605 ASNA 506-605
25 1	SNH 1606 SNH 1606E	SNH 507-606 SNH 507-606	TSN 606 TSNA 606	1306 K 1306 K	H 306 HE 306	2xFRB 7,5/72 P 2xFRB 7,5/72 P	ASNA 507-606 ASNA 507-606
30	SNH 1607	SNH 508-607	TSNA 607	1307 K	H 307	2xFRB 9/80 P	ASNA 508-607
1 1/4 35	SNH 1608E SNH 1608	SNH 510-608 SNH 510-608	TSNA 608 TSNA 608	1308 K 1308 K	HE 308 H 308	2xFRB 9/90 P 2xFRB 9/90 P	ASNA 510-608 ASNA 510-608
1 1/2 40	SNH 1809E SNH 1609	SNH 511-609 SNH 511-609	TSNA 609 TSNA 609	1309 K 1309 K	HE 309 H 309	2xFRB 9,5/100 P 2xFRB 9,5/100 P	ASNA 511-609 ASNA 511-609
1 3/4 45	SNH 1610E SNH 1610	SNH 512-610 SNH 512-610	TSNA 610 TSNA 610	1310K 1310K	HE 310 H 310	2xFRB 10,5/110 P 2xFRB 10,5/110 P	ASNA 512-610 ASNA 512-610
50 2	SNH 1611 SNH 1611E	SNH 513-611 SNH 513-611	TSNA 611 TSNA 611	1311 K 1311 K	H 311 HE 311	2xFH 11/120 P 2xFRB 11/120 P	ASNA 513-611 ASNA 513-611
55	SNH 1612	SNH 515-612	TSNA 612	1312K	H 312	2xFRB 12,5/130 P	ASNA 515-612
2 1/4 60	SNH 1613E SNH 1613	SNH 516-613 SNH 516-613	TSNA 613 TSNA 613	1313K 1313K	HE 313 H 313	2xFRB 12,5/140 P 2xFRB 12,5/140 P	ASNA 516-613 ASNA 516-613
2 1/2 65	SNH 1615E SNH 1615	SNH 518-615 SNH 518-615	TSNA 615 TSNA 615	1315 K 1315K	HE 315 H 315	2xFRB 14/160 P 2xFRB 14/160 P	ASNA 518-615 ASNA 518-615
2 3/4 70	SNH 1616E SNH 1616	SNH 519-616 SNH 519-616	TSNA 616 TSNA 616	1316 K 1316 K	HE 316 H 316	2xFRB 14,5/170 P 2xFRB 14,5/170 P	ASNA 519-616 ASNA 519-616
75 3	SNH 1617 SNH 1617E	SNH 520-617 SNH 520-617	TSNA 617 TSNA 617	1317K 1317K	H 317 HE 317	2xFRB 14,5/180 P 2xFRB 14,5/180 P	ASNA 520-617 ASNA 520-617

For shaft diameters 1 1/4" & 1 1/2" the basic seal designation suffix for V-ring seals is AE.
 For shaft diameters 1 1/4", 1 1/2", 2 1/4" & 3 1/4" the basic seal designation suffix for felt seals is CE.
 For shaft diameters 3/4", 1 1/4", 1 1/2", 2 1/4", 3 1/4" & 3 1/2" the basic seal designation suffix for double lip seals is GE.

SNL Plummer Block Housings for
Self-Aligning Bearings
Series 2600



**Townsend
Bearings**



Suffix
A



Suffix
G



Suffix
C




Shaft diameter	Basic Plummer block unit designation	Separate component designations Housing	Basic seal	bearing	adapter sleeve & locknut)	locating ring(s)	End cover
inch/mm							
25 1	SNH 2606 SNH 2606E	SNH 507-606 SNH 507-606	TSNA 606 TSNA 606	2306 K 2306 K	H 2306 HE 2306	1xFRB 7/72 P 1xFRB 7/72 P	ASNR 507-606 ASNA 507-606
30	SNH 2607	SNH 508-607	TSNA 607	2307 K	H 2307	1xFRB 8/80 P	ASNA 508-607
1¼ 35	SNH 2608E SNH 2608	SNH 510-608 SNH 510-608	TSNA 608 TSNA 608	2308 K 2308 K	HE 2308 H 2308	1xFRB 8/90 P 1xFRB 8/90 P	ASNA 510-608 ASNA 510-608
1½ 40	SNH 2609E SNH 2609	SNH 511-609 SNH 511-609	TSNA 609 TSNA 609	2309 K 2309 K	HE 2309 H 2309	1xFRB 8/100 P 1xFRB 8/100 P	ASNA 511-609 ASNA 511-609
1¾ 45	SNH 2610E SNH 2610	SNH 512-610 SNH 512-610	TSNA 810 TSNA 610	2310 K 2310 K	HE 2310 H 2310	1xFRB 8/110 P 1xFRB 8/110 P	ASNA 512-610 ASNA 512-610
50 2	SNH 2611 SNH 2611E	SNH 513-611 SNH 513-611	TSNA 611 TSNA 611	2311 K 2311 K	H 2311 HE 2311	1xFRB 8/120 P 1xFRB 8/120 P	ASNA 513-611 AS NA 513-611
55	SNH 2612	SNH 515-612	TSNA 612	2312 K	H 2312	1xFRB 10/130 P	ASNA 515-612
2¼ 60	SNH 2613E SNH 2613	SNH 516-613 SNH 516-613	TSNA 613 TSNA 613	2313 K 2313 K	HE 2313 H 2313	1xFRB 10/140 P 1xFRB 10/140 P	ASNA 516-613 ASNA 516-613
2½ 65	SNH 2615E SNH 2615	SNH 518-615 SNH 518-615	TSNA 615 TSNA 615	2315 K 2315 K	HE 2315 H 2315	1xFRB 10/160 P 1xFRB 10/160 P	ASNA 518-615 ASNA 518-615
2¾ 70	SNH 2616E SNH 2616	SNH 519-616 SNH 519-616	TSNA 616 TSNA 616	2316 K 2316 K	HE 2316 H 2316	1xFRB 10/170P 1xFRB 10/170 P	ASNA 519-616 ASNA 519-616
75 3	SNH 2617 SNH 2617E	SNH 520-617 SNH 520-617	TSNA617 TSNA 617	2317 K 2317 K	H 2317 HE 2317	1xFRB 10/180 P 1xFRB 10/180 P	ASNA 520-617 ASNA 520-617

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½", 2¼" & 3¼" the basic seal designation suffix for felt seals is CE.

For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.




Suffix
A



Suffix
G



Suffix
C



For shaft diameters 1¼" & 1½"
the basic seal designation
suffix for V-ring seals is AE.

For shaft diameters 1¼", 1½",
2¼" & 3¼" the basic seal designation
suffix for felt seals is CE.




For shaft diameters ¾", 1¼", 1½", 2¼", 3¼" & 3½"
the basic seal designation
suffix for double lip seals is GE.

Shaft diameter	Basic Plummer block unit designation	Separate Housing	component designations Basic seal	bearing	adapter sleeve & locknut)	locating ring(s)	End cover
inch/mm							
30	SNH 22507	SNH 507-606	TSNA 507	22207 CCK	H 307	2xFRB 5,5/72 P	ASNA 507-606
1¼ 35	SNH 22508E SNH 22508	SNH 508-607 SNH 508-607	TSNA 508 TSNA 508	22208 CCK 22208 CCK	HE 308 H 308	2xFRB 8/80 P 2xFRE 8/80 P	ASNA 508-607 ASNA 508-607
1½ 40	SNH 22509E SNH 22509	SNH 509 SNH 509	TSNA 509 TSNA 509	22209 CCK 22209 CCK	HE 309 H 309	1xFRB 7/85 P 1xFRB 7/85 P	ASNA 509 ASNP 509
1¾ 45	SNH 22510E SNH 22510	SNH 510-608 SNH 510-608	TSNA 510 TSNA 510	22210 CCK 22210 CCK	HE 310 H 310	2xFRB 9/90 P 2xFRB 9/94 P	ASNA 510-608 ASNA 510-608
50 2	SNH 22511 SNH 22511E	SNH 511-609 SNH 511-609	TSNA 511 TSNA 511	22211 CCK 22211 CCK	H 311 HE 311	2xFRB 9,5/100 P 2xFRB 9,5/100 P	ASNA 511-609 ASNA 511-609
55	SNH 22512	SNH 512-610	TSNA 512	22212 CCK	H312	2xFRB 10/110 P	ASNA 512-610
2¼ 60	SNH 22513E SNH 22513	SNH 513-611 SNH 513-611	TSNA 513 TSNA 513	22213 CCK 22213 CCK	HE 313 H 313	2xFRB 10/120 P 2xFRB 10/120 P	ASNA 513-611 ASNA 513-611
2½ 65	SNH 22515E SNH 22515	SNH 515-612 SNH 515-612	TSNA 515 TSNA 515	22215 CCK 22215 CCK	HE 315 H 315	2xFRB 12,5/130 P 2xFRB 12,5/130 P	ASNA 515-612 ASNA 515-612
2¾ 70	SNH 22516E SNH 22516	SNH 516-613 SNH 516-613	TSNA 516 TSNA 516	22216 CCK 22216 CCK	HE 316 H 316	2xFRB 12,5/140 P 2xFRB 12,5/140 P	ASNA 516-613 ASNA 516-613
75 3	SNH 22517 SNH 22517E	SNH 517 SNH 517	TSNA 517 TSNA 517	22217 CCK/W33 22217 CCW/W33	H 317 HE 317	2xFRB 12,5/150 P 2xFRB 12,5/150 P	ASNA 517 ASNA 517
80 3¼	SNH 22518 SNH 22518E	SNH 518-615 SNH 518-615	TSNA 518 TSNA 518	22218 CCK/W33 22218 CCK/W33	H 318 HE 318	2xFRB 12,5/160 P 2xFRB 12,5/160 P	ASNA 518-615 ASNA 518-615
85	SNH 22519	SNH 519-616	TSNA 519	22219 CCK/W33	H 319	2xFRB 12,5/170 P	ASNA 519-616
31½ 90	SNH 22520E SNH 22520	SNH 520-617 SNH 520-617	TSNA 520 TSNA 520	22220 CCK/W33 22220 CCK/W33	HE 320 H 320	2xFRB 12/180 P 2xFRB 12/180P	ASNA 520-617 ASNA 520-617
100 4	SNH 22522 SNH 22522E	SNH 522-619 SNH 522-619	TSNA 522 TSNA 522	22222 CCK/W33 22222 CCK/W33	H 322 HE 322	2xFRB 13,5/200 P 2xFRB 13,5/200 P	ASNA 522-619 ASNA 522-619
4¼ 110	SNH 22524E SNH 22524	SNH 524-620 SNH 524-620	TSNA 524 TSNA 524	22224 CCK/W33 22224 CCKIW33	HE 3124 H 3124	2xFRB 14/215 P 2xFRB 14/215 P	ASNA 524-620 ASNA 524-620
4½ 115	SNH 22526E SNH 22526	SNH 526 SNH 526	TSNA 526 TSNA 526	22226 CCK/W33 22226 CCK/W33	HE 3126 H 3126	2xFRB 131230 P 2xFRE 131230 P	ASNA 526 ASNA 526
125 5	SNH 22528 SNH 22528E	SNH 528 SNH 528	TSNA 528 TSNA 528	22228 CCK/W33 22228 CCK/W33	H 3128 HE 3128	2xFRB 151250 P 2xFRB 151250 P	TSNA 528 ASNA 528
5¼ 135	SNH 22530E SNH 22530	SNH 530 SNH 530	TSNA 530 TSNA 530	22230 CCK/W33 22230 CCK/W33	HE 3130 H 3130	2xFRB 16,5/270 P 2xFRB 16,5/270 P	ASNA 530 ASNA 530
5½ 140	SNH 22532E SNH 22532	SNH 532 SNH 532	TSNA 532 TSNA 532	22232 CCK/W33 22232 CCK/W33	HE 3132 H 3132	2xFRB 17/290 P 2xFRB 17/290 P	ASNA 532 ASNA 532

SNL Plummer Block Housings for
Self-Aligning Bearings
Series 23500







**Townsend
Bearings**



Shaft diameter	Basic Plummer block unit designation	Separate component designations			adapter sleeve & locknut)	locating ring(s)	End cover
		Housing	Basic seal	bearing			
inch/mm							
80 3 1/4	SNH 23518 SNH 23518E	SNH 518-615 SNH 518-615	TSNA 518 TSNA 518	23218 CCK 23218 CCK	H 2318 HE 2318	1xFRB 12,5/160 P 1xFRB 12,5/160 P	ASNA 518-615 ASNA 518-615
3 1/2 90	SNH 23520E SNH 23520	SNH 520-617 SNH 520-617	TSNA 520 TSNA 520	23220 CCK/W33 23220 CCK/W33	HE 2320 H 2320	1xFRB 9,7/180 P 1xFRB 9,7/180 P	ASNA 520-617 ASNA 520-617
100 4	SNH 23522 SNH 23522E	SNH 522-619 SNH 522-619	TSNA 522 TSNA 522	23222 CCK/W33 23222 CCK/W33	H 2322 H 2322	1xFF1B 10,2/200 P 1xFRB 10,2/200 P	ASNA 522-619 ASNA 522-619
4 1/4 110	SNH 23524E SNH 23524	SNH 524-620 SNH 524-620	TSNA-524 TSNA 524	23224 CCK/W33 23224 CCK/W33	HE 2324 H 2324	1xFRB 10/215 P 1xFRB 10/215 P	ASNA 524-620 ASNA 524-620
4 1/2 115	SNH 23526E SNH 23526	SNH 526 SNH 526	TSNA 526 TSNA 526	23226 CCK/W33 23226 CCK/W33	HE 2326 H 2326	1xFRB 10/230 P 1xFRB 10/230 P	ASNA 526 ASNA 526
125 5	SNH 23528 SNH 23528E	SNH 528 SNH 528	TSNA 528 TSNA 528	23228 CCK/W33 23228 CCK/W33	H 2328 HE 2328	1xFRB 10/250 P 1xFRB 10/250 P	ASNA 528 ASNA 528
5 1/4 135	SNH 23530E SNH 23530	SNH 530 SNH 530	TSNA 530 TSNA 530	23230 CCK/W33 23230 CCK/W33	HE 2330 H 2330	1xFRB 10/270 P 1xFRB 10/270 P	ASNA 530 ASNA 530
5 1/2 140	SNH 23532E SNH 23532	SNH 532 SNH 532	TSNA 532 TSNA 532	23232 CCK/W33 23232 CCK/W33	HE 2332 H 2332	1xFRB 10/290 P 1xFRB 10/290 P	ASNA 532 ASNA 532

For shaft diameters 3 1/4" the basic seal designation suffix for felt seals is CE.

For shaft diameters 3 1/4", 3 1/2", 4 1/4", 5" & 5 1/4" the basic seal designation suffix for double lip seals is GE.




Shaft diameter	Basic Plummer block unit designation	Separate component designations Housing	Basic seal	bearing	adapter sleeve & locknut)	locating ring(s)	End cover
inch/mm							
1¼ 35	SNH 21608E SNH 21608	SNH 510-608 SNH 510-608	TSNA 608 TSNA 608	21308 CCK 21308 CCK	HE 308 H 308	2xFRB 9190 P 2xFRB 9190 P	ASNA 510-608 ASNA 510-608
1½ 40	SNH 21609E SNH 21609	SNH 511-609 SNH 511-609	TSNA 609 TSNA 609	21309 CCK 21309 CCK	HE 309 H 309	2xFRB 9,5/100 P 2xFRB 9,5/100 P	ASNA 511-609 ASNA 511-609
1¾ 45	SNH 21610E SNH 21610	SNH 512-610 SNH 512-610	TSNA 610 TSNA 610	21310 CCK 21310 CCK	HE 310 H 310	2xFRB 10,5/110 P 2xFRB 10,5/110 P	ASNA 512-610 ASNA 512-610
50 2	SNH 21611 SNH 21611E	SNH 513-611 SNH 513-611	TSNA 611 TSNA 611	21311 CCK 21311 CCK	H 311 HE 311	2xFRB 11/120 P 2xFRB 11/120 P	ASNA 513-611 ASNA 513-611
55	SNH 21612	SNH 515-612	TSNA 612	21312 CCK	H 312	2xFRB 12,5/130 P	ASNA 515-612
2¼ 60	SNH 21613E SNH 21613	SNH 516-613 SNH 516-613	TSNA 613 TSNA 613	21313 CCK 21313 CCK	HE 313 H 313	2xFRB 12,5/140 P 2xFRB 12,5/140 P	ASNA 516-613 ASNA 516-613
2½ 65	SNH 21615E SNH 21615	SNH 518-615 SNH 518-615	TSNA 615 TSNA 615	21315 CCK 21315 CCK	HE 315 H 315	2xFRB 14/160 P 2xFRB 14/130 P	ASNA 518-615 ASNA 518-615
2¾ 70	SN.H 21616E SNH 21616	SNH 519-616 SNH 519-616	TSNA 616 TSNA 616	21316 CCK 21316 CCK	HE 316 H 316	2xFRB 14,5/170 P 2xFRB 14,5/170 P	ASNA 519-616 ASNA 519-616
75 3	SNH 21617 SNH 21617E	SNH 520-617 SNH 520-617	TSNA 617 TSNA 617	21317 CCK 21317 CCK	H 317 HE 317	2xFRB 14,5/180 P 2xFRB 14,5/180 P	ASNA 520-617 ASNA 520-617

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.
 For shaft diameters 1¼", 1½" & 2¼" the basic seal designation suffix for felt seals is CE.
 For shaft diameters 1¼", 1½", 2¼" & 2½" the basic seal designation suffix for double lip seals is GE.

SNL Plummer Block Housings for
Self-Aligning Bearings
Series 22600



**Townsend
Bearings**



Shaft diameter	Basic Plummer block unit designation	Separate component designations					
		Housing	Basic seal	bearing	adapter sleeve & locknut)	locating ring(s)	End cover
inch/mm							
1¼ 35	SNH 22608E SNH 22608	SNH 510-608 SNH 510-608	TSNA 608 TSNA 608	22308 CCK 22308 CCK	HE 2308 H 2308	1xFRB 8/90 P 1xFRB 8/90 P	ASNA 510-608 ASNA 510-608
1½ 40	SNH 22609E SNH 22609	SNH 511-609 SNH 511-609	TSNA 609 TSNA 609	22309 CCK 22309 CCK	HE 2309 H 2309	1xFRB 8/100 P 1xFRB 8/100 P	ASNA 511-609 ASNA 511-609
1¾ 45	SNH 22610E SNH 22610	SNH 512-610 SNH 512-610	TSNA 610 TSNA 610	22310 CCK 22310 CCK	HE 2310 H 2310	1xFRB 8/110 P 2xFRB 8/110 P	ASNA 512-610 ASNA 512-610
50 2	SNH 22611 SNH 22611E	SNH 513-611 SNH 513-611	TSNA 611 TSNA 611	22311 CCK 22311 CCK	H 2311 HE 2311	1xFRB 8/120 P 1xFRB 8/120 P	ASNA 513-611 ASNA 513-611
55	SNH 22612	SNH 515-612	TSNA 612	22312 CCK	H 2312	1xFRB 10/130 P	ASNA 515-612
2¼ 60	SNH 22613E SNH 22613	SNH 516-613 SNH 516-613	TSNA 613 TSNA 613	22313 CCK 22313 CCK	HE 2313 H 2313	1xFRB 10/140 P 1xFRB 10/140 P	ASNA 516-613 ASNA 516-613
2½ 65	SNH 22615E SNH 22615	SNH 518-615 SNH 518-615	TSNA 615 TSNA 615	22315 CCK/W33 22315 CCK/W33	HE 2315 H 2315	1xFRB 10/160 P 1xFRB 10/160 P	ASNA 518-615 ASNA 518-615
2¾ 70	SNH 22616E SNH 22616	SNH 519-616 SNH 519-616	TSNA 616 TSNA 616	22316 CCK/W33 22316 CCK/W33	HE 2316 H 2316	1xFRB 10/170 P 1xFRB 10/170 P	ASNA 519-616 ASNA 519-616
75 3	SNH 22617 SNH 22617E	SNH 520-617 SNH 520-617	TSNA 617 TSNA 617	22317 CCK/W33 22317 CCK/W33	H 2317 HE 2317	1xFRB 10/180 P 1xFRB 10/180 P	ASNA 520-617 ASNA 520-617
3¼ 85	SNH 22619E SNH 22619	SNH 522-619 SNH 522-619	TSNA 619 TSNA 619	22319 CCK/W33 22319 CCK/W33	HE 2319 H 2319	1xFRB 13/200 P 1xFRB 13/200 P	ASNA 522-619 ASNA 522-619
3½ 90	SNH 22620E SNH 22620	SNH 524-620 SNH 524-628	TSNA 620 TSNA 620	22320 CCK/W33 22320 CCK/W33	HE 2320 H 2320	1xFRB 13/215 P 1xFRB 13/215 P	ASNA 524-620 ASNA 524-620

For shaft diameters 1¼" & 1½" the basic seal designation suffix for V-ring seals is AE.
For shaft diameters 1¼", 1½" & 2¼" the basic seal designation suffix for felt seals is CE.
For shaft diameters 1¼", 1½", 2¼", 2½", 3¼" & 3½" the basic seal designation suffix for double lip seals is GE.

Townsend Bearings & Transmissions Limited

**Unit 1, St.Andrews Industrial Estate,
Bridport, Dorset. DT6 3EX. England.**

**Tel : 01308 456933 (UK only) +44 1308 456933 (Outside the UK)
Fax : 01308 427913 (UK only) +44 1308 427913 (Outside the UK)**

Email : sales@townsendbearings.co.uk

www.townsendbearings.co.uk